

# **Teak Care Products**

- Cleans embedded dirt and grease residues, opens pores in the wood.
- Penetrates into crevices where sanding is not possible.
- Ensures hygiene by repelling pests that nest inside the wood.
- Reveals the original texture of the wood without damaging the teak.
- More economical compared to other methods; saves time.
- Provides long-lasting protection on wooden surfaces.

**1)** Remove paint and varnish residues from the surface using an HD Mop Disc or Cleaning Pad before application.

**2)** Wet the dirty surfaces and spray TEAK CLEANER on them, wait for it to take effect for a while, then brush the surface with a stiff brush. Rinse the surface thoroughly with plenty of water and proceed to the next step.

**3)** Spray TEAK RESTORER evenly onto the cleaned surface, wait for a short time for it to take effect, then rinse again thoroughly with plenty of water and let it dry.

**4)** Before oiling the dried surface, use an MD Cleaning Pad or Mop Disc to remove roughness and fuzz.

**5)** Apply a single coat of TEAK OIL to the dry surface using a cutting brush or roller, wait at least one day for the wood to absorb the oil thoroughly, then wipe it with a cotton cloth the next day.

**6)** In cases where the oil is absorbed excessively, complement the depleted oil by using teak oil in cream form for the second coat.

**7)** After maintenance, use TEAK SHIELD regularly to make the wood more resistant to environmental effects and to preserve its appearance for a long time.

# READY-TO-USE / LIQUID TEAK CLEANER



## **TEAK CLEANER - INSTANT**

Can be used directly, no dilution required Covers up to 10m<sup>2</sup> / It depending on dirt 250 ml | 500 ml |1 lt | 2<sup>1</sup>/<sub>2</sub> lt | 5 lt

#### **BTCL-R**

# READY-TO-USE / LIQUID TEAK BRIGHTENER



#### **TEAK RESTORER - INSTANT**

Can be used directly, no dilution required Covers up to  $10m^2$  / It depending on dirt **250 ml** | **500 ml** | **1 lt** | **2**½ It | **5 lt** 

### **BTRS-R**

## CONCENTRATED / LIQUID TEAK CLEANER



#### **TEAK CLEANER - ULTRA**

Dilution required with 1 to 5 part of water Covers up to 50m<sup>2</sup> / It depending on dirt 250 ml | 500 ml | 1 lt | 2<sup>1</sup>/<sub>2</sub> lt | 5 lt

### **BTCL-C**

## CONCENTRATED / LIQUID TEAK BRIGHTENER



**TEAK RESTORER - ULTRA**Dilution required with 1 to 5 part of waterCovers up to 50m² / It depending on dirt250 ml | 500 ml | 1 lt | 2½ lt | 5 lt

## **BTRS-C**

# CONCENTRATED / POWDER TEAK CLEANER

# SOLVENT-FREE / LIQUID NATURAL TEAK OIL



# **TEAK CLEANER - POWDER**

Can be dissolved 1 to 10 parts of water Covers up to 50m<sup>2</sup> / kg depending on dirt 250 g | 500 g | 1 kg | 2<sup>1</sup>/<sub>2</sub> kg | 5 kg

### **BTCL-P**

## CONCENTRATED / POWDER TEAK BRIGHTENER



### **TEAK RESTORER - POWDER**

Dilution required with 1 to 10 part of water Covers up to  $50m^2$  / kg depending on dirt 250 g | 500 g |1 kg |  $2\frac{1}{2}$  kg | 5 kg

### **BTRS-P**



## **TEAK OIL - NATURAL**

Can be applied in either one or two coats Maximum coverage area is 10 m<sup>2</sup> / liter 250 ml | 500 ml | 1 lt | 2½ lt | 5 lt

## **BTOL-N**

# SOLVENT-FREE / LIQUID REFINED TEAK OIL



## **TEAK OIL - REFINED**

## **BTOL-R**

# SOLVENT-FREE / CREAM NATURAL TEAK OIL

# READY-TO-USE / POWDER CLEANER & BRIGHTENER



TEAK OIL - WAXCan be applied in either one or two coatsApproximate coverage area is 25 m² / kg250 g | 500 g | 1 kg | 2½ kg | 5 kg

### **BTOL-W**

# SOLVENT-FREE / CREAM TEAK PROTECTOR



### **TEAK SHIELD - WAX**

Can be applied in either one or two coats Approximate coverage area is  $25 \text{ m}^2 / \text{kg}$ 250 g | 500 g |1 kg |  $2\frac{1}{2}$  kg | 5 kg

## **BTSH-W**



## **TEAK RENEWER - INSTANT**

Can be applied in either one or two coats Approximate coverage area is 25 m<sup>2</sup> / kg 250 g | 500 g | 1 kg | 2½ kg | 5 kg

### **BTRN-R**

**BTSL-B** 

# READY-TO-USE / BALM TEAK PROTECTOR



## **TEAK SEALER - BALSAM**

Can be applied in either one or two coats Approximate coverage area is  $25 \text{ m}^2 / \text{kg}$ 250 g | 500 g |1 kg |  $2\frac{1}{2}$  kg | 5 kg





# LOW-DENSITY / MILD TEAK SCRUBBING PAD



#### **TEAK SCRUBBER - LD**

Suitable for treated wooden surfaces Provides a smooth surface finish Recommended to use after 3rd step

## **BTSC-L**

# LOW-DENSITY / MILD TEAK MOP DISC



### **TEAK MOP DISC - LD**

Suitable for treated wooden surfaces Provides a smooth surface finish Recommended to use after 3rd step

### **BTMD-L**

## MEDIUM-DENSITY / FINE TEAK SCRUBBING PAD



#### **TEAK SCRUBBER - MD**

Suitable for uncoated wooden surfaces Removes wood fuzzies & asperities Recommended to use after 2nd step

#### **BTSC-IM**

# MEDIUM-DENSITY / FINE **TEAK MOP DISC**



#### **TEAK MOP DISC - MD**

Suitable for uncoated wooden surfaces Removes wood fuzzies & asperities Recommended to use after 2nd step

#### **BTIMD-IM**

# HIGH-DENSITY / COARSE TEAK SCRUBBING PAD



#### **TEAK SCRUBBER - HD**

Suitable for coated wooden surfaces Removes paint & varnish residues Recommended to use before1st step

## BTSC-H

## HIGH-DENSITY / COARSE TEAK MOP DISC



#### **TEAK MOP DISC - HD**

Suitable for coated wooden surfaces Removes paint & varnish residues Recommended to use before1st step

#### **BTMD-H**





#### **BIOTEAK WOODCARE & MAINTENANCE**

71-75 SHELTON STREET COVENT GARDEN WC2H 9JQ LONDON | UNITED KINGDOM www.bio-teak.com | info@bio-teak.com